
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



Average	Dec.	Oct.	Sept.	Aug.	July	O and	May	Apr.	Mar.	Feb.	Jan.	Month
12,85	11.57	12.32	13.17	13.25	13.42	17077	13,50	12.09	12.12	13.34	\$14.12	Light and : Medium 1/: E handyweight, weight, weight, weight, weight, weight and 184 1bs.dn.):(84 1bs.dn.):(84-92 1bs.):(92 1bs.dn.):(92 1bs.dn.):(9
												Lembs Lembs ': Heavy 1/: All weight, weights, Medinato and choice common choi
10.70	9.46	10.12	10.92	11.00	11.16		11 74 06.01	10.34	10.25	11.24	\$11.69	All weights, cull and common
ì	11	1	1	1	1		12.90	12.75	\$12.78 3/	1	1	LAMBS Spring Medium 2/: Cull 1/ to and 1/ choice common
												Yearling wethers, medium to 1/ choice
6.29	5.72	6.50	6.50	6.02	5.92	,,,,	7. 7.	6.75	6.75	6.75	\$6.75	Common to choice
4°54	3.86	‡.50	4.50	4.02	3.96	7.17	7.78	+.50	4.50	. 4.50	\$4.50	Ewes Canner and cull
												FEEDING SHEEP AND LAMBS Lambs Ewe Medium Medito to choice choi
												c e
												A X X X X X X X X X X X X X X X X X X X
												115

1/ No quotations.
2/ Not representative of limits of quality with the second street average (5-week month).
3/ Two-week average (5-week month).

Note: Beginning May 11, quotations are on shorn basis. Effective May 17, all lambs dropped in spring 1925 are quoted as yearlings; new crop lambs as lambs.

Marketing Livestock, Meats and Wool Division, Bureau of Agricultural Economics, U. S. Department of Agriculture.

